



TEST REPORT

Applicant: Innovative Eyewear, Inc
Address: 11900 Biscayne Bl, Suite 630 North Miami, FL 33181, USA

Report No: 1002809137
Date: January 7, 2026

Attn: Joaquin Abondano

Sample Description	:	Smart Eyewear
Quantity Submitted	:	10 pieces x 2 styles
Item No.	:	LCD008-11 / LCD008-12
Protector Type	:	Spectacle
Material	:	Not Provided
Impact Mark	:	Not Provided
Frame Color	:	Black
Lens Color	:	Green/Black
Lens Type	:	Polarized
P.O. No.	:	Not Provided
Age Grade	:	Not Provided
Supplier	:	Shenzhen Gonbes Technology Co Ltd
Buyer	:	Not Provided
Goods Exported to	:	Not Provided
Country of Origin	:	Not Provided
Date(s) of Samples Received	:	August 7, 2025 & October 14, 2025
Date of Test Period	:	August 7, 2025 - January 7, 2026

OVERALL RESULT: PASS[#]

Notes: 1. The results relate only to the items tested.
2. #The result excluded the maximum effective far-ultraviolet average transmittance of Clause 6.5.2 & 6.5.3.

For and on behalf of :

UL VS Shanghai Limited Shenzhen Branch

Hedy Li



Hedy Li
Consumer Engineering Manager
Eyewear Testing Department

***** Page 1 of 23*****

测试样品由客户送样委托检测: 样品信息由客户提供并确认

以下条款仅针对中国市场和社会: ----该报告仅向委托人公布、供委托人使用, 不具有社会证明的作用

RCP-HST Testing decision rule: The declaration of conformity is given without taking into account the measurement uncertainty.

Level of risk associated with the Decision Rule: The results issued by UL VS Shanghai Limited Shenzhen Branch do not take into consideration the measurement uncertainty, but when the value is close to the limit, the test, if repeated by another laboratory, can give a different rating.

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the qualities of apparently identical or similar materials, products or processes. Reports / Certificates of UL do not relieve sellers / suppliers from their contractual responsibilities with regard to the quality / quantity of the goods in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers for compensation for any apparent and/or hidden defects not detected during UL's random inspection or testing or audit. The liability of UL to the Customer in contract, tort (including negligence or breach of statutory duty) or howsoever, and whatever the cause thereof, (a) for any loss of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.

SZ-FAF-001 (2026-01-01)

UL VS Shanghai Limited Shenzhen Branch

3-7F, 9-10F Building B, Sino-German (Europe) Industrial Park, South side of Hangcheng Avenue,
Xixiang Subdistrict, Bao'an District, Shenzhen, P.R.China Post Code 518126

广东省深圳市宝安区航城大道1号中德欧产业园B栋3-7, 9-10楼 邮编: 518126

电话(T): 755-81202888 / 网址(W): W: ul.com



中国认可
国际互认
检测
TESTING
CNAS L1114

TEST REPORT

Applicant: Innovative Eyewear, Inc
Address: 11900 Biscayne Bl, Suite 630 North Miami,
FL 33181, USA

Report No: 1002809137
Date: January 7, 2026

Product Photo:

Item No.: LCD008-11



Item No.: LCD008-12



Conclusion:
Tested Samples
Tested components of
submitted samples

Standard
CSA Z94.3 - 2020 Eye and Face Protectors

Result
PASS[#]

***** Page 2 of 23 *****

测试样品由客户送样委托检测: 样品信息由客户提供并确认

以下条款仅针对中国市场和社会: ----该报告仅向委托人公布、供委托人使用, 不具有社会证明的作用

RCP-HST Testing decision rule: The declaration of conformity is given without taking into account the measurement uncertainty.

Level of risk associated with the Decision Rule: The results issued by UL VS Shanghai Limited Shenzhen Branch do not take into consideration the measurement uncertainty, but when the value is close to the limit, the test, if repeated by another laboratory, can give a different rating.

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the qualities of apparently identical or similar materials, products or processes. Reports / Certificates of UL do not relieve sellers / suppliers from their contractual responsibilities with regard to the quality / quantity of the goods in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers for compensation for any apparent and/or hidden defects not detected during UL's random inspection or testing or audit. The liability of UL to the Customer in contract, tort (including negligence or breach of statutory duty) or howsoever, and whatever the cause thereof, (a) for any loss of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.

SZ-FAF-001 (2026-01-01)

UL VS Shanghai Limited Shenzhen Branch
3-7F, 9-10F Building B, Sino-German (Europe) Industrial Park, South side of Hangcheng Avenue,
Xixiang Subdistrict, Bao'an District, Shenzhen, P.R.China Post Code 518126

广东省深圳市宝安区航城大道 1 号中德欧产业园 B 栋 3-7, 9-10 楼 邮编: 518126
电话(T): 755-81202888 / 网址(W): W: ul.com



中国认可
国际互认
检测
TESTING
CNAS L1114

TEST REPORT

Applicant: Innovative Eyewear, Inc
Address: 11900 Biscayne Bl, Suite 630 North Miami,
FL 33181, USA

Report No: 1002809137
Date: January 7, 2026

TEST RESULTS

Item No.: LCD008-12

CLAUSES	REQUIREMENTS	RESULT
6 General requirements		
6.1	Impact resistance	P
6.2	Ignition resistance	P
6.5 Zero-power filters		
6.5.1	Size, Refractive (residual) power, resolving power, and prismatic deviation	P
6.5.2	Transmittance	P [#]
6.5.3	Permanence of filters	P [#]
6.8	Minimum frontal coverage	P
6.9	Side protection	P
7 Class 1 protectors-Spectacles		
7.1	Field of view	P
7.2	Side protection	P
13	Marking and user information	P
16	Sun protection for outdoor workers	P
16.2.6	Sun protection for outdoor workers (Polarized lenses)	P

Remark: P = Pass; F=Fail; NA = Not Applicable

***** Page 3 of 23*****

测试样品由客户送样委托检测: 样品信息由客户提供并确认

以下条款仅针对中国市场和社会: ----该报告仅向委托人公布、供委托人使用, 不具有社会证明的作用

RCP-HST Testing decision rule: The declaration of conformity is given without taking into account the measurement uncertainty.

Level of risk associated with the Decision Rule: The results issued by UL VS Shanghai Limited Shenzhen Branch do not take into consideration the measurement uncertainty, but when the value is close to the limit, the test, if repeated by another laboratory, can give a different rating.

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the qualities of apparently identical or similar materials, products or processes. Reports / Certificates of UL do not relieve sellers / suppliers from their contractual responsibilities with regard to the quality / quantity of the goods in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers for compensation for any apparent and/or hidden defects not detected during UL's random inspection or testing or audit. The liability of UL to the Customer in contract, tort (including negligence or breach of statutory duty) or howsoever, and whatever the cause thereof, (a) for any loss of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.

SZ-FAF-001 (2026-01-01)

UL VS Shanghai Limited Shenzhen Branch

3-7F, 9-10F Building B, Sino-German (Europe) Industrial Park, South side of Hangcheng Avenue,
Xixiang Subdistrict, Bao'an District, Shenzhen, P.R.China Post Code 518126

优力胜邦质量检测（上海）有限公司深圳分公司
广东省深圳市宝安区航城大道1号中德欧产业园B栋3-7, 9-10楼 邮编: 518126

电话(T): 755-81202888 / 网址(W): W: ul.com



中国认可
国际互认
检测
TESTING
CNAS L1114

TEST REPORT

Applicant: Innovative Eyewear, Inc
Address: 11900 Biscayne Bl, Suite 630 North Miami, FL 33181, USA

Report No: 1002809137
Date: January 7, 2026

TEST RESULTS

Impact resistance — Clause 6.1

Sample NO.	Protector Type	Impact Point*	Defects		Comment	Result
			Observed	Absent		
1#-8#	Class 1	a, b, c, d, e, f		✓	--	P

Requirements:

No contact with either eye of the headform shall be permitted, nor shall any part become detached from the inner surface of the protector, nor shall the protector fail as defined below:

- 1) Lens failure: a lens shall be considered to have failed if it fractures through its entire thickness into two or more separate pieces, or if any lens material visible to normal or corrected-to-normal vision, including a laminar layer, if any, becomes detached from the ocular surface; or
- 2) Housing failure: housing(such as a front, side shield, frame, body, lift-front, or lens holder) shall be considered to have failed if parts or fragments that could contact either eye of the headform are ejected from the protector.

Protector Type			Impact Point*	sample quantity
Class	Lenses	Frame		
1	Zero-power lenses	--	a, b, c, d, e, f	8
2-7	Plano lenses	--	a, b, c, g	7
1	--	Prescription frames: Non-metal	e, f, h, k	5
1	--	Prescription frames: Metal	e, f, i, j, k	6
1	Prescription lenses	--	i, m	4

Note:

*Impact Point:

- a) the midpoint of the distance between the pupils (nasal area); if no part of the protector is located at this point, the bridge should be impacted at the closest point to the horizontal reference line. (one point)
- b) the point directly in front of the centre of each pupil; and (two point)
- c) the temporal edges, 15mm temporal from the centre of the pupils; (two point)
- d) a frontal impact at the point of attachment of the endpiece to the eyewire (one side); (one point)
- e) a lateral impact at the point of attachment of the temple to the endpiece (one side); and (one point)
- f) a lateral impact on the side protector located 10mm behind the corneal apex and lateral impacts 10mm above and below this point (one side); (one point)
- g) a lateral impact test 10mm behind each corneal apex; (two point)
- h) a frontal impact at the thinnest exposed portion of the eyewire (one side); (one point)
- i) a frontal impact at the point of attachment of the bridge to the eyewire (one side); (one point)
- j) a frontal impact at the point in front of the eyewire screw assembly. (one point)
- k) with the point of impact being within a 2mm radius of the reference point; (two point)
- l) for lenses of power plano or -10.00D sphere, the impact point shall be the geometric centre; and (two point)
- m) for lenses of power +8.00-4.00×180, the impact point shall be 20mm from the geometric centre along the meridian 45° or 135°. (two point)

***** Page 4 of 23*****

测试样品由客户送样委托检测: 样品信息由客户提供并确认

以下条款仅针对中国市场和社会: ----该报告仅向委托人公布、供委托人使用, 不具有社会证明的作用

RCP-HST Testing decision rule: The declaration of conformity is given without taking into account the measurement uncertainty.

Level of risk associated with the Decision Rule: The results issued by UL VS Shanghai Limited Shenzhen Branch do not take into consideration the measurement uncertainty, but when the value is close to the limit, the test, if repeated by another laboratory, can give a different rating.

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the qualities of apparently identical or similar materials, products or processes. Reports / Certificates of UL do not relieve sellers / suppliers from their contractual responsibilities with regard to the quality / quantity of the goods in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers for compensation for any apparent and/or hidden defects not detected during UL's random inspection or testing or audit. The liability of UL to the Customer in contract, tort (including negligence or breach of statutory duty) or howsoever, and whatever the cause thereof, (a) for any loss of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.

SZ-FAF-001 (2026-01-01)

UL VS Shanghai Limited Shenzhen Branch

3-7F, 9-10F Building B, Sino-German (Europe) Industrial Park, South side of Hangcheng Avenue,
Xixiang Subdistrict, Bao'an District, Shenzhen, P.R.China Post Code 518126

广东省深圳市宝安区航城大道 1 号中德欧产业园 B 栋 3-7, 9-10 楼 邮编: 518126

电话(T): 755-81202888 / 网址(W): W: ul.com



TEST REPORT

Applicant: Innovative Eyewear, Inc
Address: 11900 Biscayne Bl, Suite 630 North Miami, FL 33181, USA

Report No: 1002809137
Date: January 7, 2026

TEST RESULTS

Ignition resistance—Clause 6.2

Sample NO.	Continued combustion		Comment	Result
	Yes	No		
9#		✓	--	P
Requirements:				
The components of the protector typically exposed during use shall not ignite during steel rod contact, nor continue to glow or be consumed after removal of the steel rod. Head straps not integral to the protector are not subject to these requirements.				

Size (Zero-power filters) - 6.5.1

Field of view — Clause 7.1

Sample No.	Test Items		Left	Right	Result		
9#	Horizontal field of view	X (mm)	30.64	30.62	P		
		D _v (mm)	17.69	17.69			
		H (°)	60.00	59.98			
	Vertical field of view	Y (mm)	18.50	18.52	P		
		D _v (mm)	17.69	17.69			
		V (°)	92.56	92.62			
Requirements:							
The monocular field of view of each lens shall be not less than 45° temporally in the horizontal meridian and 80° total in the vertical meridian.							
Note:							
H=arc tan (X/D _v) (X=one-half of the distance A, mm; D _v =vertex distance, mm)							
V=2arc tan (Y/D _v) (Y=one-half of the distance B, mm; D _v =vertex distance, mm)							

Measurement Uncertainty (if necessary):

***** Page 5 of 23*****

测试样品由客户送样委托检测: 样品信息由客户提供并确认

以下条款仅针对中国市场和社会: ----该报告仅向委托人公布、供委托人使用, 不具有社会证明的作用

RCP-HST Testing decision rule: The declaration of conformity is given without taking into account the measurement uncertainty.

Level of risk associated with the Decision Rule: The results issued by UL VS Shanghai Limited Shenzhen Branch do not take into consideration the measurement uncertainty, but when the value is close to the limit, the test, if repeated by another laboratory, can give a different rating.

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the qualities of apparently identical or similar materials, products or processes. Reports / Certificates of UL do not relieve sellers / suppliers from their contractual responsibilities with regard to the quality / quantity of the goods in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers for compensation for any apparent and/or hidden defects not detected during UL's random inspection or testing or audit. The liability of UL to the Customer in contract, tort (including negligence or breach of statutory duty) or howsoever, and whatever the cause thereof, (a) for any loss of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.

SZ-FAF-001 (2026-01-01)

UL VS Shanghai Limited Shenzhen Branch

3-7F, 9-10F Building B, Sino-German (Europe) Industrial Park, South side of Hangcheng Avenue, Xixiang Subdistrict, Bao'an District, Shenzhen, P.R.China Post Code 518126

广东省深圳市宝安区航城大道1号中德欧产业园B栋3-7, 9-10楼 邮编: 518126
电话(T): 755-81202888 / 网址(W): W: ul.com



TEST REPORT

Applicant: Innovative Eyewear, Inc
Address: 11900 Biscayne Bl, Suite 630 North Miami, FL 33181, USA

Report No: 1002809137
Date: January 7, 2026

TEST RESULTS

Refractive (residual) power, resolving power, and prismatic deviation (Zero-power filters) —Clause 6.5.1

Sample NO.	Test Items		Requirement	Left	Right	Result
10#	Spherical Power (D)		±0.12	0.02	0.07	P
	Astigmatic Power (D)		±0.12	0.00	0.00	P
	Resolving Power		Observed 60s*ring	Meet	Meet	P
	Prism deviation (Δ)	Lens for one eye		≤0.125	0.03	0.01
		Horizontal	Base Out	≤0.75	0.01	
			Base In	≤0.25	--	
	Vertical		≤0.25	0.02		P

Measurement Uncertainty (if necessary):

Transmittance(Zero-power filters) —Clause 6.5.2

Sample NO.	Test Items	Left	Right	Result
10#	Luminous transmittance T_v (%) (Shade number : 3.0)	13.49	14.58	P
	Maximum effective far-ultraviolet average transmittance (%)	--	--	--
	Maximum infrared average transmittance (%)	1.40	1.36	P
	The ratio of the luminous transmittance of any part of a filter lens to that of the reference point	0.99~1.00	0.99~1.00	P
	The ratio of the luminous transmittance of the lighter lens to that of the darker lens in pairs	1.08		P

***** Page 6 of 23*****

测试样品由客户送样委托检测: 样品信息由客户提供并确认

以下条款仅针对中国市场和社会: ----该报告仅向委托人公布、供委托人使用, 不具有社会证明的作用

RCP-HST Testing decision rule: The declaration of conformity is given without taking into account the measurement uncertainty.

Level of risk associated with the Decision Rule: The results issued by UL VS Shanghai Limited Shenzhen Branch do not take into consideration the measurement uncertainty, but when the value is close to the limit, the test, if repeated by another laboratory, can give a different rating.

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the qualities of apparently identical or similar materials, products or processes. Reports / Certificates of UL do not relieve sellers / suppliers from their contractual responsibilities with regard to the quality / quantity of the goods in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers for compensation for any apparent and/or hidden defects not detected during UL's random inspection or testing or audit. The liability of UL to the Customer in contract, tort (including negligence or breach of statutory duty) or howsoever, and whatever the cause thereof, (a) for any loss of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.

SZ-FAF-001 (2026-01-01)

UL VS Shanghai Limited Shenzhen Branch

3-7F, 9-10F Building B, Sino-German (Europe) Industrial Park, South side of Hangcheng Avenue, Xixiang Subdistrict, Bao'an District, Shenzhen, P.R.China Post Code 518126

优力胜邦质量检测(上海)有限公司深圳分公司

广东省深圳市宝安区航城大道1号中德欧产业园B栋3-7, 9-10楼 邮编: 518126 电话(T): 755-81202888 / 网址(W): W: ul.com



TEST REPORT

Applicant: Innovative Eyewear, Inc
Address: 11900 Biscayne Bl, Suite 630 North Miami, FL 33181, USA

Report No: 1002809137
Date: January 7, 2026

TEST RESULTS

Requirements:

1. The luminous transmittance measured at the reference point of the filter shall lie in the range for the shade number marked on the filter lens or filter plate.

Shade number	Luminous transmittance (%)			Maximum effective far-ultraviolet average transmittance (%)	Maximum infrared average transmittance (%)
	Maximum	Nominal	Minimum		
CLEAR	100	—	85	—	—
1.3	85	74.5	67	0.1	<30
1.5	67	61.5	55	0.1	25
1.7	55	50.1	43	0.1	20
2.0	43	37.3	29	0.1	15
2.5	29	22.8	18.0	0.1	12
3.0	18.0	13.9	8.50	0.07	9.0
4	8.50	5.18	3.16	0.04	5.0
5	3.16	1.93	1.18	0.02	2.5
6	1.18	0.72	0.44	0.01	1.5
7	0.44	0.27	0.164	0.007	1.3
8	0.164	0.100	0.061	0.004	1.0
9	0.061	0.037	0.023	0.002	0.8
10	0.023	0.0139	0.0085	0.001	0.6
11	0.0085	0.0052	0.0032	0.0007	0.5
12	0.0032	0.0019	0.0012	0.0004	0.5
13	0.0012	0.00072	0.00044	0.0002	0.4
14	0.00044	0.00027	0.00016	0.0001	0.3

2. The luminous transmittance of any part of a filter lens for one eye shall lie between 0.89 times and 1.12 times the luminous transmittance at the reference point of the lens; The luminous transmittance of any part of a filter plate or the viewing area of a filter face shield shall lie between 0.79times and 1.26times the luminous transmittance at the reference point of the plate.
3. Filter lenses for one eye shall be supplied in pairs in which the ratio of the luminous transmittance of the lighter lens to that of the darker lens, each measured at the reference point of the lens, shall not exceed 1.26:1.
4. The maximum effective far-ultraviolet average transmittance , visible of the filter shall comply with the requirements for the shade designation number marked on the filter.

Measurement Uncertainty (if necessary):

***** Page 7 of 23*****

测试样品由客户送样委托检测: 样品信息由客户提供并确认

以下条款仅针对中国市场和社会: ----该报告仅向委托人公布、供委托人使用, 不具有社会证明的作用

RCP-HST Testing decision rule: The declaration of conformity is given without taking into account the measurement uncertainty.

Level of risk associated with the Decision Rule: The results issued by UL VS Shanghai Limited Shenzhen Branch do not take into consideration the measurement uncertainty, but when the value is close to the limit, the test, if repeated by another laboratory, can give a different rating.

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the qualities of apparently identical or similar materials, products or processes. Reports / Certificates of UL do not relieve sellers / suppliers from their contractual responsibilities with regard to the quality / quantity of the goods in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers for compensation for any apparent and/or hidden defects not detected during UL's random inspection or testing or audit. The liability of UL to the Customer in contract, tort (including negligence or breach of statutory duty) or howsoever, and whatever the cause thereof, (a) for any loss of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.

SZ-FAF-001 (2026-01-01)

UL VS Shanghai Limited Shenzhen Branch

3-7F, 9-10F Building B, Sino-German (Europe) Industrial Park, South side of Hangcheng Avenue, Xixiang Subdistrict, Bao'an District, Shenzhen, P.R.China Post Code 518126

优力胜邦质量检测(上海)有限公司深圳分公司

广东省深圳市宝安区航城大道1号中德欧产业园B栋3-7、9-10楼 邮编: 518126 电话(T): 755-81202888 / 网址(W): W: ul.com



TEST REPORT

Applicant: Innovative Eyewear, Inc
Address: 11900 Biscayne Bl, Suite 630 North Miami, FL 33181, USA

Report No: 1002809137
Date: January 7, 2026

TEST RESULTS

Permanence of filters —Clause 6.5.3

Sample No.	Test Items			Left	Right	Result		
9#-10#	Horizontal field of view	X (mm)	Before test	30.64	30.62	P		
			After test	30.66	30.64			
			Difference	0.02	0.02			
	Vertical field of view	Y (mm)	Before test	18.50	18.52	P		
			After test	18.53	18.54			
			Difference	0.03	0.02			
	Luminous transmittance (%)	Before exposure		13.49	14.58	P		
		After exposure		13.60	14.72			
	The ratio of the luminous transmittance of post-test value to that of its original value			1.01	1.01	P		
	Maximum effective far-ultraviolet average transmittance (%)			--	--	--		
	Maximum infrared average transmittance (%)			1.51	1.52	P		
	Filter surface quality			Meet	Meet	P		

***** Page 8 of 23*****

测试样品由客户送样委托检测: 样品信息由客户提供并确认

以下条款仅针对中国市场和社会: ----该报告仅向委托人公布、供委托人使用, 不具有社会证明的作用

RCP-HST Testing decision rule: The declaration of conformity is given without taking into account the measurement uncertainty.

Level of risk associated with the Decision Rule: The results issued by UL VS Shanghai Limited Shenzhen Branch do not take into consideration the measurement uncertainty, but when the value is close to the limit, the test, if repeated by another laboratory, can give a different rating.

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the qualities of apparently identical or similar materials, products or processes. Reports / Certificates of UL do not relieve sellers / suppliers from their contractual responsibilities with regard to the quality / quantity of the goods in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers for compensation for any apparent and/or hidden defects not detected during UL's random inspection or testing or audit. The liability of UL to the Customer in contract, tort (including negligence or breach of statutory duty) or howsoever, and whatever the cause thereof, (a) for any loss of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.

SZ-FAF-001 (2026-01-01)

UL VS Shanghai Limited Shenzhen Branch

3-7F, 9-10F Building B, Sino-German (Europe) Industrial Park, South side of Hangcheng Avenue,
Xixiang Subdistrict, Bao'an District, Shenzhen, P.R.China Post Code 518126

广东省深圳市宝安区航城大道1号中德欧产业园B栋3-7, 9-10楼 邮编: 518126
电话(T): 755-81202888 / 网址(W): W: ul.com



中国认可
国际互认
检测
TESTING
CNAS L1114

TEST REPORT

Applicant: Innovative Eyewear, Inc
Address: 11900 Biscayne Bl, Suite 630 North Miami, FL 33181, USA

Report No: 1002809137
Date: January 7, 2026

TEST RESULTS

Requirements:

1. Filters shall not change in dimensions by more than 3%.
2. The luminous transmittance of a filter shall not increase to more than 1.10 times its original value. Each filter shall also still comply with the relevant requirements of the Standard for ultraviolet and infrared protection.

Shade number	Luminous transmittance (%)			Maximum effective far-ultraviolet average transmittance (%)	Maximum infrared average transmittance (%)
	Maximum	Nominal	Minimum		
CLEAR	100	—	85	—	—
1.3	85	74.5	67	0.1	<30
1.5	67	61.5	55	0.1	25
1.7	55	50.1	43	0.1	20
2.0	43	37.3	29	0.1	15
2.5	29	22.8	18.0	0.1	12
3.0	18.0	13.9	8.50	0.07	9.0
4	8.50	5.18	3.16	0.04	5.0
5	3.16	1.93	1.18	0.02	2.5

3. Each filter shall show no cracks, separations of plies, bubbles, or other obvious defects extending more than 3 mm from the filter's edge.

Measurement Uncertainty (if necessary)

Minimum frontal coverage —Clause 6.8

Sample No.	Headform size	Frontal coverage		Comment	Result
		Meet	No Meet		
9#	Medium	✓		--	P

Requirements:

- The protector shall cover an elliptical area of not less than 40mm wide and 33mm high in front of each eye, centred on the pupil centre of the medium test headform.
- The protector shall cover an elliptical area of not less than 36mm wide and 26mm high in front of each eye, centred on the pupil centre of the small test headform.

Side protection —Clause 6.9&7.2

Sample No.	Side protection area		Comment	Result
	Meet	No Meet		
9#	✓		--	P

Requirements:

The side protection shall protect an area 20mm in height starting at, and vertically symmetric around, the apex of the cornea and extending back to a point 10mm behind the corneal apex, at which point it becomes a 10mm radius end extending rearward.

***** Page 9 of 23 *****

测试样品由客户送样委托检测: 样品信息由客户提供并确认

以下条款仅针对中国市场和社会: ----该报告仅向委托人公布、供委托人使用, 不具有社会证明的作用

RCP-HST Testing decision rule: The declaration of conformity is given without taking into account the measurement uncertainty.

Level of risk associated with the Decision Rule: The results issued by UL VS Shanghai Limited Shenzhen Branch do not take into consideration the measurement uncertainty, but when the value is close to the limit, the test, if repeated by another laboratory, can give a different rating.

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the qualities of apparently identical or similar materials, products or processes. Reports / Certificates of UL do not relieve sellers / suppliers from their contractual responsibilities with regard to the quality / quantity of the goods in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers for compensation for any apparent and/or hidden defects not detected during UL's random inspection or testing or audit. The liability of UL to the Customer in contract, tort (including negligence or breach of statutory duty) or howsoever, and whatever the cause thereof, (a) for any loss of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.

SZ-FAF-001 (2026-01-01)

UL VS Shanghai Limited Shenzhen Branch

3-7F, 9-10F Building B, Sino-German (Europe) Industrial Park, South side of Hangcheng Avenue, Xixiang Subdistrict, Bao'an District, Shenzhen, P.R.China Post Code 518126

广东省深圳市宝安区航城大道1号中德欧产业园B栋3-7, 9-10楼 邮编: 518126
电话(T): 755-81202888 / 网址(W): W: ul.com



中国认可
国际互认
检测
TESTING
CNAS L1114

TEST REPORT

Applicant: Innovative Eyewear, Inc
Address: 11900 Biscayne Bl, Suite 630 North Miami,
FL 33181, USA

Report No: 1002809137
Date: January 7, 2026

TEST RESULTS

Sun protection for outdoor workers — Clause 16

Sample No.		10#		Result
Test Items		Left	Right	
Luminous Transmittance TV (%)		13.49	14.58	P
Mean transmittance (%)	UVA (315~380nm)	0.02	0.02	P
	UVB (290~315nm)	0.06	0.07	P
Colour limits	Yellow traffic signals	Meet	Meet	P
	Green traffic signals,	Meet	Meet	P
	Average daylight (D65)	Meet	Meet	P
Traffic signal transmittance (%)	Red	16.44	17.60	P
	Yellow	13.27	14.42	P
	Green	13.60	14.56	P

Requirements:

1. The luminous transmittance of a lens shall be between 8% and 40%.
2. Colour limits: The x and y chromaticity coordinates of traffic signals and average daylight (D65), as viewed through the lens, shall fall within the prescribed regions on the CIE Standard Chromaticity diagram.
3. The traffic signal transmittance of a lens shall be a minimum of 8% for the red signal, a minimum of 6% for the yellow signal, and a minimum of 6% for the green signal.
4. The mean transmittance of a lens shall be
 - a) for UVA: no greater than the luminous transmittance; and
 - b) for UVB: no greater than 0.125 of luminous transmittance.

Measurement Uncertainty (if necessary)

***** Page 10 of 23*****

测试样品由客户送样委托检测: 样品信息由客户提供并确认

以下条款仅针对中国市场和社会: ----该报告仅向委托人公布、供委托人使用, 不具有社会证明的作用

RCP-HST Testing decision rule: The declaration of conformity is given without taking into account the measurement uncertainty.

Level of risk associated with the Decision Rule: The results issued by UL VS Shanghai Limited Shenzhen Branch do not take into consideration the measurement uncertainty, but when the value is close to the limit, the test, if repeated by another laboratory, can give a different rating.

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the qualities of apparently identical or similar materials, products or processes. Reports / Certificates of UL do not relieve sellers / suppliers from their contractual responsibilities with regard to the quality / quantity of the goods in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers for compensation for any apparent and/or hidden defects not detected during UL's random inspection or testing or audit. The liability of UL to the Customer in contract, tort (including negligence or breach of statutory duty) or howsoever, and whatever the cause thereof, (a) for any loss of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.

SZ-FAF-001 (2026-01-01)

UL VS Shanghai Limited Shenzhen Branch

3-7F, 9-10F Building B, Sino-German (Europe) Industrial Park, South side of Hangcheng Avenue,
Xixiang Subdistrict, Bao'an District, Shenzhen, P.R.China Post Code 518126

广东省深圳市宝安区航城大道 1 号中德欧产业园 B 栋 3-7, 9-10 楼 邮编: 518126
电话(T): 755-81202888 / 网址(W): W: ul.com



TEST REPORT

Applicant: Innovative Eyewear, Inc
Address: 11900 Biscayne Bl, Suite 630 North Miami,
FL 33181, USA

Report No: 1002809137
Date: January 7, 2026

TEST RESULTS

Sun protection for outdoor workers (Polarized lenses) — Clause 16.2.6

Sample No.	10#			
Test Items	Requirements	Left	Right	Result
Degree of polarizing Filters (°)	Deviation from the horizontal direction with filter ≤5° for both left and right filter	-2.98	-0.76	P
	The misalignment between the plane of polarization of both filters ≤6°;	2.2		
The polarization efficiency (%)	For category 1 : >60% For category 2,3,4 : >78%	84.14	81.61	P

Measurement Uncertainty (if necessary)

***** Page 11 of 23*****

测试样品由客户送样委托检测: 样品信息由客户提供并确认

以下条款仅针对中国市场和社会: ----该报告仅向委托人公布、供委托人使用, 不具有社会证明的作用

RCP-HST Testing decision rule: The declaration of conformity is given without taking into account the measurement uncertainty.

Level of risk associated with the Decision Rule: The results issued by UL VS Shanghai Limited Shenzhen Branch do not take into consideration the measurement uncertainty, but when the value is close to the limit, the test, if repeated by another laboratory, can give a different rating.

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the qualities of apparently identical or similar materials, products or processes. Reports / Certificates of UL do not relieve sellers / suppliers from their contractual responsibilities with regard to the quality / quantity of the goods in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers for compensation for any apparent and/or hidden defects not detected during UL's random inspection or testing or audit. The liability of UL to the Customer in contract, tort (including negligence or breach of statutory duty) or howsoever, and whatever the cause thereof, (a) for any loss of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.

SZ-FAF-001 (2026-01-01)

UL VS Shanghai Limited Shenzhen Branch

3-7F, 9-10F Building B, Sino-German (Europe) Industrial Park, South side of Hangcheng Avenue,
Xixiang Subdistrict, Bao'an District, Shenzhen, P.R.China Post Code 518126

优力胜邦质量检测(上海)有限公司深圳分公司

广东省深圳市宝安区航城大道1号中德欧产业园B栋3-7, 9-10楼 邮编: 518126
电话(T): 755-81202888 / 网址(W): W: ul.com



TEST REPORT

Applicant: Innovative Eyewear, Inc
Address: 11900 Biscayne Bl, Suite 630 North Miami, FL 33181, USA

Report No: 1002809137
Date: January 7, 2026

TEST RESULTS

Marking and user information — Clause 13

Observed Result		Comment	Result
Meet	No meet		
✓		--	P

Requirements:

1. Protector that comply with this Standard shall bear the designation "Z94.3".
2. The following items shall bear a permanent mark identifying the manufacture or supplier:
 - 1) lenses, excluding covers;
 - 2) spectacle fronts;
 - 3) spectacle temples;
 - 4) goggle eye-cups;
 - 5) goggle housings;
 - 6) helmet housings;
 - 7) helmet headgear;
 - 8) hand shield; and
 - 9) face shield headgear.
3. Zero-power filter and filter windows shall be permanently marked with shade numbers in accordance with all the transmittance requirements for filter.
4. Special-purpose lenses shall carry a statement that the lenses are not for use where filter lenses are required.
5. For any device certified by a nationally recognized certification organization as meeting this Standard, the mark or other identification of the certification shall be permanently placed on at least one component of an assembled product or system.
6. The following information shall be provided with all non-prescription eye and face protectors:
 - 1) assembly instructions where necessary;
 - 2) fitting instructions;
 - 3) cleaning instructions
 - 4) storing instructions;
 - 5) inspection criteria and determination of end of useful life;
 - 6) maintenance instructions where necessary;
 - 7) hazard for which the protector is appropriate; and
 - 8) limitations of the protector.

***** Page 12 of 23*****

测试样品由客户送样委托检测: 样品信息由客户提供并确认

以下条款仅针对中国市场和社会: ----该报告仅向委托人公布、供委托人使用, 不具有社会证明的作用

RCP-HST Testing decision rule: The declaration of conformity is given without taking into account the measurement uncertainty.

Level of risk associated with the Decision Rule: The results issued by UL VS Shanghai Limited Shenzhen Branch do not take into consideration the measurement uncertainty, but when the value is close to the limit, the test, if repeated by another laboratory, can give a different rating.

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the qualities of apparently identical or similar materials, products or processes. Reports / Certificates of UL do not relieve sellers / suppliers from their contractual responsibilities with regard to the quality / quantity of the goods in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers for compensation for any apparent and/or hidden defects not detected during UL's random inspection or testing or audit. The liability of UL to the Customer in contract, tort (including negligence or breach of statutory duty) or howsoever, and whatever the cause thereof, (a) for any loss of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.

SZ-FAF-001 (2026-01-01)

UL VS Shanghai Limited Shenzhen Branch

3-7F, 9-10F Building B, Sino-German (Europe) Industrial Park, South side of Hangcheng Avenue, Xixiang Subdistrict, Bao'an District, Shenzhen, P.R.China Post Code 518126

优力胜邦质量检测（上海）有限公司深圳分公司

广东省深圳市宝安区航城大道1号中德欧产业园B栋3-7, 9-10楼 邮编: 518126

电话(T): 755-81202888 / 网址(W): W: ul.com



中国认可
国际互认
检测
TESTING
CNAS L1114

TEST REPORT

Applicant: Innovative Eyewear, Inc
Address: 11900 Biscayne Bl, Suite 630 North Miami,
FL 33181, USA

Report No: 1002809137
Date: January 7, 2026

TEST RESULTS

Item No.: LCD008-11

CLAUSES	REQUIREMENTS	RESULT
6 General requirements		
6.1	Impact resistance	P
6.2	Ignition resistance	P
6.5 Zero-power filters		
6.5.1	Size, Refractive (residual) power, resolving power, and prismatic deviation	P
6.5.2	Transmittance	P [#]
6.5.3	Permanence of filters	P [#]
6.8	Minimum frontal coverage	P
6.9	Side protection	P
7 Class 1 protectors-Spectacles		
7.1	Field of view	P
7.2	Side protection	P
13	Marking and user information	P
16	Sun protection for outdoor workers	P
16.2.6	Sun protection for outdoor workers (Polarized lenses)	P

Remark: P = Pass; F=Fail; NA = Not Applicable

***** Page 13 of 23*****

测试样品由客户送样委托检测: 样品信息由客户提供并确认

以下条款仅针对中国市场和社会: ----该报告仅向委托人公布、供委托人使用, 不具有社会证明的作用

RCP-HST Testing decision rule: The declaration of conformity is given without taking into account the measurement uncertainty.

Level of risk associated with the Decision Rule: The results issued by UL VS Shanghai Limited Shenzhen Branch do not take into consideration the measurement uncertainty, but when the value is close to the limit, the test, if repeated by another laboratory, can give a different rating.

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the qualities of apparently identical or similar materials, products or processes. Reports / Certificates of UL do not relieve sellers / suppliers from their contractual responsibilities with regard to the quality / quantity of the goods in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers for compensation for any apparent and/or hidden defects not detected during UL's random inspection or testing or audit. The liability of UL to the Customer in contract, tort (including negligence or breach of statutory duty) or howsoever, and whatever the cause thereof, (a) for any loss of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.

SZ-FAF-001 (2026-01-01)

UL VS Shanghai Limited Shenzhen Branch

3-7F, 9-10F Building B, Sino-German (Europe) Industrial Park, South side of Hangcheng Avenue,
Xixiang Subdistrict, Bao'an District, Shenzhen, P.R.China Post Code 518126

优力胜邦质量检测(上海)有限公司深圳分公司

广东省深圳市宝安区航城大道1号中德欧产业园B栋3-7, 9-10楼 邮编: 518126

电话(T): 755-81202888 / 网址(W): W: ul.com



TEST REPORT

Applicant: Innovative Eyewear, Inc
Address: 11900 Biscayne Bl, Suite 630 North Miami, FL 33181, USA

Report No: 1002809137
Date: January 7, 2026

TEST RESULTS

Impact resistance — Clause 6.1

Sample NO.	Protector Type	Impact Point*	Defects		Comment	Result
			Observed	Absent		
1#-8#	Class 1	a, b, c, d, e, f		✓	--	P

Requirements:

No contact with either eye of the headform shall be permitted, nor shall any part become detached from the inner surface of the protector, nor shall the protector fail as defined below:

- 3) Lens failure: a lens shall be considered to have failed if it fractures through its entire thickness into two or more separate pieces, or if any lens material visible to normal or corrected-to-normal vision, including a laminar layer, if any, becomes detached from the ocular surface; or
- 4) Housing failure:housing(such as a front, side shield, frame, body, lift-front, or lens holder) shall be considered to have failed if parts or fragments that could contact either eye of the headform are ejected from the protector.

Protector Type			Impact Point*	sample quantity
Class	Lenses	Frame		
1	Zero-power lenses	--	a, b, c, d, e, f	8
2-7	Plano lenses	--	a, b, c, g	7
1	--	Prescription frames: Non-metal	e, f, h, k	5
1	--	Prescription frames: Metal	e, f, i, j, k	6
1	Prescription lenses	--	i, m	4

Note:

*Impact Point:

- n) the midpoint of the distance between the pupils (nasal area); if no part of the protector is located at this point, the bridge should be impacted at the closest point to the horizontal reference line. (one point)
- o) the point directly in front of the centre of each pupil; and (two point)
- p) the temporal edges, 15mm temporal from the centre of the pupils; (two point)
- q) a frontal impact at the point of attachment of the endpiece to the eyewire (one side); (one point)
- r) a lateral impact at the point of attachment of the temple to the endpiece (one side); and (one point)
- s) a lateral impact on the side protector located 10mm behind the corneal apex and lateral impacts 10mm above and below this point (one side); (one point)
- t) a lateral impact test 10mm behind each corneal apex; (two point)
- u) a frontal impact at the thinnest exposed portion of the eyewire (one side); (one point)
- v) a frontal impact at the point of attachment of the bridge to the eyewire (one side); (one point)
- w) a frontal impact at the point in front of the eyewire screw assembly. (one point)
- x) with the point of impact being within a 2mm radius of the reference point; (two point)
- y) for lenses of power plano or -10.00D sphere, the impact point shall be the geometric centre; and (two point)
- z) for lenses of power +8.00-4.00×180, the impact point shall be 20mm from the geometric centre along the meridian 45° or 135°. (two point)

***** Page 14 of 23*****

测试样品由客户送样委托检测: 样品信息由客户提供并确认

以下条款仅针对中国市场和社会: ----该报告仅向委托人公布、供委托人使用, 不具有社会证明的作用

RCP-HST Testing decision rule: The declaration of conformity is given without taking into account the measurement uncertainty.

Level of risk associated with the Decision Rule: The results issued by UL VS Shanghai Limited Shenzhen Branch do not take into consideration the measurement uncertainty, but when the value is close to the limit, the test, if repeated by another laboratory, can give a different rating.

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the qualities of apparently identical or similar materials, products or processes. Reports / Certificates of UL do not relieve sellers / suppliers from their contractual responsibilities with regard to the quality / quantity of the goods in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers for compensation for any apparent and/or hidden defects not detected during UL's random inspection or testing or audit. The liability of UL to the Customer in contract, tort (including negligence or breach of statutory duty) or howsoever, and whatever the cause thereof, (a) for any loss of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.

SZ-FAF-001 (2026-01-01)

UL VS Shanghai Limited Shenzhen Branch

3-7F, 9-10F Building B, Sino-German (Europe) Industrial Park, South side of Hangcheng Avenue,
Xixiang Subdistrict, Bao'an District, Shenzhen, P.R.China Post Code 518126

广东省深圳市宝安区航城大道 1 号中德欧产业园 B 栋 3-7, 9-10 楼 邮编: 518126

电话(T): 755-81202888 / 网址(W): W: ul.com



TEST REPORT

Applicant: Innovative Eyewear, Inc
Address: 11900 Biscayne Bl, Suite 630 North Miami, FL 33181, USA

Report No: 1002809137
Date: January 7, 2026

TEST RESULTS

Ignition resistance—Clause 6.2

Sample NO.	Continued combustion		Comment	Result
	Yes	No		
9#		✓	--	P
Requirements:				
The components of the protector typically exposed during use shall not ignite during steel rod contact, nor continue to glow or be consumed after removal of the steel rod. Head straps not integral to the protector are not subject to these requirements.				

Size (Zero-power filters) - 6.5.1

Field of view — Clause 7.1

Sample No.	Test Items	Left	Right	Result		
9#	Horizontal field of view	X (mm)	30.60	P		
		D _v (mm)	17.69			
		H (°)	59.97			
	Vertical field of view	Y (mm)	18.46	P		
		D _v (mm)	17.69			
		V (°)	92.44			
Requirements:						
The monocular field of view of each lens shall be not less than 45° temporally in the horizontal meridian and 80° total in the vertical meridian.						
Note:						
H=arc tan (X/D _v) (X=one-half of the distance A, mm; D _v =vertex distance, mm)						
V=2arc tan (Y/D _v) (Y=one-half of the distance B, mm; D _v =vertex distance, mm)						

Measurement Uncertainty (if necessary):

***** Page 15 of 23*****

测试样品由客户送样委托检测: 样品信息由客户提供并确认

以下条款仅针对中国市场和社会: ----该报告仅向委托人公布、供委托人使用, 不具有社会证明的作用

RCP-HST Testing decision rule: The declaration of conformity is given without taking into account the measurement uncertainty.

Level of risk associated with the Decision Rule: The results issued by UL VS Shanghai Limited Shenzhen Branch do not take into consideration the measurement uncertainty, but when the value is close to the limit, the test, if repeated by another laboratory, can give a different rating.

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the qualities of apparently identical or similar materials, products or processes. Reports / Certificates of UL do not relieve sellers / suppliers from their contractual responsibilities with regard to the quality / quantity of the goods in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers for compensation for any apparent and/or hidden defects not detected during UL's random inspection or testing or audit. The liability of UL to the Customer in contract, tort (including negligence or breach of statutory duty) or howsoever, and whatever the cause thereof, (a) for any loss of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.

SZ-FAF-001 (2026-01-01)



中国认可
国际互认
检测
TESTING
CNAS L1114

TEST REPORT

Applicant: Innovative Eyewear, Inc
Address: 11900 Biscayne Bl, Suite 630 North Miami,
FL 33181, USA

Report No: 1002809137
Date: January 7, 2026

TEST RESULTS

Refractive (residual) power, resolving power, and prismatic deviation (Zero-power filters) —Clause 6.5.1

Sample NO.	Test Items		Requirement	Left	Right	Result
10#	Spherical Power (D)		±0.12	0.02	0.05	P
	Astigmatic Power (D)		±0.12	0.00	0.00	P
	Resolving Power		Observed 60s*ring	Meet	Meet	P
	Prism deviation (Δ)	Lens for one eye		≤0.125	0.00	0.02
		Horizontal	Base Out	≤0.75	--	
			Base In	≤0.25	0.02	
	Vertical		≤0.25	0.00		

Measurement Uncertainty (if necessary):

***** Page 16 of 23*****

测试样品由客户送样委托检测: 样品信息由客户提供并确认

以下条款仅针对中国市场和社会: ----该报告仅向委托人公布、供委托人使用, 不具有社会证明的作用

RCP-HST Testing decision rule: The declaration of conformity is given without taking into account the measurement uncertainty.

Level of risk associated with the Decision Rule: The results issued by UL VS Shanghai Limited Shenzhen Branch do not take into consideration the measurement uncertainty, but when the value is close to the limit, the test, if repeated by another laboratory, can give a different rating.

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the qualities of apparently identical or similar materials, products or processes. Reports / Certificates of UL do not relieve sellers / suppliers from their contractual responsibilities with regard to the quality / quantity of the goods in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers for compensation for any apparent and/or hidden defects not detected during UL's random inspection or testing or audit. The liability of UL to the Customer in contract, tort (including negligence or breach of statutory duty) or howsoever, and whatever the cause thereof, (a) for any loss of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.

SZ-FAF-001 (2026-01-01)

UL VS Shanghai Limited Shenzhen Branch

3-7F, 9-10F Building B, Sino-German (Europe) Industrial Park, South side of Hangcheng Avenue,
Xixiang Subdistrict, Bao'an District, Shenzhen, P.R.China Post Code 518126

广东省深圳市宝安区航城大道1号中德欧产业园B栋3-7, 9-10楼 邮编: 518126
电话(T): 755-81202888 / 网址(W): W: ul.com



TEST REPORT

Applicant: Innovative Eyewear, Inc
Address: 11900 Biscayne Bl, Suite 630 North Miami, FL 33181, USA

Report No: 1002809137
Date: January 7, 2026

TEST RESULTS

Transmittance(Zero-power filters) —Clause 6.5.2

Sample NO.	Test Items	Left	Right	Result
10#	Luminous transmittance T_v (%) (Shade number : 3.0)	12.36	11.92	P
	Maximum effective far-ultraviolet average transmittance (%)	--	--	--
	Maximum infrared average transmittance (%)	0.97	0.88	P
	The ratio of the luminous transmittance of any part of a filter lens to that of the reference point	1.00~1.01	0.99~1.01	P
	The ratio of the luminous transmittance of the lighter lens to that of the darker lens in pairs	1.04		P

***** Page 17 of 23*****

测试样品由客户送样委托检测: 样品信息由客户提供并确认

以下条款仅针对中国市场和社会: ----该报告仅向委托人公布、供委托人使用, 不具有社会证明的作用

RCP-HST Testing decision rule: The declaration of conformity is given without taking into account the measurement uncertainty.

Level of risk associated with the Decision Rule: The results issued by UL VS Shanghai Limited Shenzhen Branch do not take into consideration the measurement uncertainty, but when the value is close to the limit, the test, if repeated by another laboratory, can give a different rating.

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the qualities of apparently identical or similar materials, products or processes. Reports / Certificates of UL do not relieve sellers / suppliers from their contractual responsibilities with regard to the quality / quantity of the goods in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers for compensation for any apparent and/or hidden defects not detected during UL's random inspection or testing or audit. The liability of UL to the Customer in contract, tort (including negligence or breach of statutory duty) or howsoever, and whatever the cause thereof, (a) for any loss of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.

SZ-FAF-001 (2026-01-01)

UL VS Shanghai Limited Shenzhen Branch

3-7F, 9-10F Building B, Sino-German (Europe) Industrial Park, South side of Hangcheng Avenue, Xixiang Subdistrict, Bao'an District, Shenzhen, P.R.China Post Code 518126

优力胜邦质量检测(上海)有限公司深圳分公司

广东省深圳市宝安区航城大道1号中德欧产业园B栋3-7, 9-10楼 邮编: 518126 电话(T): 755-81202888 / 网址(W): W: ul.com



中国认可
国际互认
检测
TESTING
CNAS L1114

TEST REPORT

Applicant: Innovative Eyewear, Inc
Address: 11900 Biscayne Bl, Suite 630 North Miami,
FL 33181, USA

Report No: 1002809137
Date: January 7, 2026

TEST RESULTS

Requirements:

5. The luminous transmittance measured at the reference point of the filter shall lie in the range for the shade number marked on the filter lens or filter plate.

Shade number	Luminous transmittance (%)			Maximum effective far-ultraviolet average transmittance (%)	Maximum infrared average transmittance (%)
	Maximum	Nominal	Minimum		
CLEAR	100	—	85	—	—
1.3	85	74.5	67	0.1	<30
1.5	67	61.5	55	0.1	25
1.7	55	50.1	43	0.1	20
2.0	43	37.3	29	0.1	15
2.5	29	22.8	18.0	0.1	12
3.0	18.0	13.9	8.50	0.07	9.0
4	8.50	5.18	3.16	0.04	5.0
5	3.16	1.93	1.18	0.02	2.5
6	1.18	0.72	0.44	0.01	1.5
7	0.44	0.27	0.164	0.007	1.3
8	0.164	0.100	0.061	0.004	1.0
9	0.061	0.037	0.023	0.002	0.8
10	0.023	0.0139	0.0085	0.001	0.6
11	0.0085	0.0052	0.0032	0.0007	0.5
12	0.0032	0.0019	0.0012	0.0004	0.5
13	0.0012	0.00072	0.00044	0.0002	0.4
14	0.00044	0.00027	0.00016	0.0001	0.3

6. The luminous transmittance of any part of a filter lens for one eye shall lie between 0.89 times and 1.12 times the luminous transmittance at the reference point of the lens; The luminous transmittance of any part of a filter plate or the viewing area of a filter face shield shall lie between 0.79times and 1.26times the luminous transmittance at the reference point of the plate.

7. Filter lenses for one eye shall be supplied in pairs in which the ratio of the luminous transmittance of the lighter lens to that of the darker lens, each measured at the reference point of the lens, shall not exceed 1.26:1.

8. The maximum effective far-ultraviolet average transmittance , visible of the filter shall comply with the requirements for the shade designation number marked on the filter.

Measurement Uncertainty (if necessary):

***** Page 18 of 23*****

测试样品由客户送样委托检测: 样品信息由客户提供并确认

以下条款仅针对中国市场和社会: ----该报告仅向委托人公布、供委托人使用, 不具有社会证明的作用

RCP-HST Testing decision rule: The declaration of conformity is given without taking into account the measurement uncertainty.

Level of risk associated with the Decision Rule: The results issued by UL VS Shanghai Limited Shenzhen Branch do not take into consideration the measurement uncertainty, but when the value is close to the limit, the test, if repeated by another laboratory, can give a different rating.

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the qualities of apparently identical or similar materials, products or processes. Reports / Certificates of UL do not relieve sellers / suppliers from their contractual responsibilities with regard to the quality / quantity of the goods in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers for compensation for any apparent and/or hidden defects not detected during UL's random inspection or testing or audit. The liability of UL to the Customer in contract, tort (including negligence or breach of statutory duty) or howsoever, and whatever the cause thereof, (a) for any loss of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.

SZ-FAF-001 (2026-01-01)

UL VS Shanghai Limited Shenzhen Branch

3-7F, 9-10F Building B, Sino-German (Europe) Industrial Park, South side of Hangcheng Avenue,
Xixiang Subdistrict, Bao'an District, Shenzhen, P.R.China Post Code 518126

广东省深圳市宝安区航城大道 1 号中德欧产业园 B 栋 3-7, 9-10 楼 邮编: 518126
电话(T): 755-81202888 / 网址(W): W: ul.com



中国认可
国际互认
检测
TESTING
CNAS L1114

TEST REPORT

Applicant: Innovative Eyewear, Inc
Address: 11900 Biscayne Bl, Suite 630 North Miami,
FL 33181, USA

Report No: 1002809137
Date: January 7, 2026

TEST RESULTS

Permanence of filters —Clause 6.5.3

Sample No.	Test Items			Left	Right	Result		
9#-10#	Horizontal field of view	X (mm)	Before test	30.60	30.65	P		
			After test	30.63	30.66			
			Difference	0.03	0.01			
	Vertical field of view	Y (mm)	Before test	18.46	18.45			
			After test	18.48	18.46			
			Difference	0.02	0.01			
	Luminous transmittance (%)	Before exposure		12.36	11.92	P		
		After exposure		12.42	12.03			
	The ratio of the luminous transmittance of post-test value to that of its original value			1.00	1.01	P		
	Maximum effective far-ultraviolet average transmittance (%)			--	--	--		
	Maximum infrared average transmittance (%)			0.97	0.90	P		
	Filter surface quality			Meet	Meet	P		

***** Page 19 of 23*****

测试样品由客户送样委托检测: 样品信息由客户提供并确认

以下条款仅针对中国市场和社会: ----该报告仅向委托人公布、供委托人使用, 不具有社会证明的作用

RCP-HST Testing decision rule: The declaration of conformity is given without taking into account the measurement uncertainty.

Level of risk associated with the Decision Rule: The results issued by UL VS Shanghai Limited Shenzhen Branch do not take into consideration the measurement uncertainty, but when the value is close to the limit, the test, if repeated by another laboratory, can give a different rating.

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the qualities of apparently identical or similar materials, products or processes. Reports / Certificates of UL do not relieve sellers / suppliers from their contractual responsibilities with regard to the quality / quantity of the goods in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers for compensation for any apparent and/or hidden defects not detected during UL's random inspection or testing or audit. The liability of UL to the Customer in contract, tort (including negligence or breach of statutory duty) or howsoever, and whatever the cause thereof, (a) for any loss of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.

SZ-FAF-001 (2026-01-01)

UL VS Shanghai Limited Shenzhen Branch

3-7F, 9-10F Building B, Sino-German (Europe) Industrial Park, South side of Hangcheng Avenue,
Xixiang Subdistrict, Bao'an District, Shenzhen, P.R.China Post Code 518126

广东省深圳市宝安区航城大道 1 号中德欧产业园 B 栋 3-7, 9-10 楼 邮编: 518126
电话(T): 755-81202888 / 网址(W): W: ul.com



中国认可
国际互认
检测
TESTING
CNAS L1114

TEST REPORT

Applicant: Innovative Eyewear, Inc
Address: 11900 Biscayne Bl, Suite 630 North Miami, FL 33181, USA

Report No: 1002809137
Date: January 7, 2026

TEST RESULTS

Requirements:

4. Filters shall not change in dimensions by more than 3%.
5. The luminous transmittance of a filter shall not increase to more than 1.10 times its original value. Each filter shall also still comply with the relevant requirements of the Standard for ultraviolet and infrared protection.

Shade number	Luminous transmittance (%)			Maximum effective far-ultraviolet average transmittance (%)	Maximum infrared average transmittance (%)
	Maximum	Nominal	Minimum		
CLEAR	100	—	85	—	—
1.3	85	74.5	67	0.1	<30
1.5	67	61.5	55	0.1	25
1.7	55	50.1	43	0.1	20
2.0	43	37.3	29	0.1	15
2.5	29	22.8	18.0	0.1	12
3.0	18.0	13.9	8.50	0.07	9.0
4	8.50	5.18	3.16	0.04	5.0
5	3.16	1.93	1.18	0.02	2.5

6. Each filter shall show no cracks, separations of plies, bubbles, or other obvious defects extending more than 3 mm from the filter's edge.

Measurement Uncertainty (if necessary)

Minimum frontal coverage —Clause 6.8

Sample No.	Headform size	Frontal coverage		Comment	Result
		Meet	No Meet		
9#	Medium	✓		--	P

Requirements:

- The protector shall cover an elliptical area of not less than 40mm wide and 33mm high in front of each eye, centred on the pupil centre of the medium test headform.
- The protector shall cover an elliptical area of not less than 36mm wide and 26mm high in front of each eye, centred on the pupil centre of the small test headform.

Side protection —Clause 6.9&7.2

Sample No.	Side protection area		Comment	Result
	Meet	No Meet		
9#	✓		--	P

Requirements:

The side protection shall protect an area 20mm in height starting at, and vertically symmetric around, the apex of the cornea and extending back to a point 10mm behind the corneal apex, at which point it becomes a 10mm radius end extending rearward.

***** Page 20 of 23*****

测试样品由客户送样委托检测: 样品信息由客户提供并确认

以下条款仅针对中国市场和社会: ----该报告仅向委托人公布、供委托人使用, 不具有社会证明的作用

RCP-HST Testing decision rule: The declaration of conformity is given without taking into account the measurement uncertainty.

Level of risk associated with the Decision Rule: The results issued by UL VS Shanghai Limited Shenzhen Branch do not take into consideration the measurement uncertainty, but when the value is close to the limit, the test, if repeated by another laboratory, can give a different rating.

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the qualities of apparently identical or similar materials, products or processes. Reports / Certificates of UL do not relieve sellers / suppliers from their contractual responsibilities with regard to the quality / quantity of the goods in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers for compensation for any apparent and/or hidden defects not detected during UL's random inspection or testing or audit. The liability of UL to the Customer in contract, tort (including negligence or breach of statutory duty) or howsoever, and whatever the cause thereof, (a) for any loss of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.

SZ-FAF-001 (2026-01-01)

UL VS Shanghai Limited Shenzhen Branch

3-7F, 9-10F Building B, Sino-German (Europe) Industrial Park, South side of Hangcheng Avenue, Xixiang Subdistrict, Bao'an District, Shenzhen, P.R.China Post Code 518126

广东省深圳市宝安区航城大道1号中德欧产业园B栋3-7, 9-10楼 邮编: 518126
电话(T): 755-81202888 / 网址(W): W: ul.com



中国认可
国际互认
检测
TESTING
CNAS L1114

TEST REPORT

Applicant: Innovative Eyewear, Inc
Address: 11900 Biscayne Bl, Suite 630 North Miami,
FL 33181, USA

Report No: 1002809137
Date: January 7, 2026

TEST RESULTS

Sun protection for outdoor workers — Clause 16

Sample No.		10#		Result
Test Items		Left	Right	
Luminous Transmittance TV (%)		12.36	11.92	P
Mean transmittance (%)	UVA (315~380nm)	0.02	0.02	P
	UVB (290~315nm)	0.07	0.08	P
Colour limits	Yellow traffic signals	Meet	Meet	P
	Green traffic signals,	Meet	Meet	P
	Average daylight (D65)	Meet	Meet	P
Traffic signal transmittance (%)	Red	13.08	12.46	P
	Yellow	12.06	11.60	P
	Green	12.83	12.42	P

Requirements:

1. The luminous transmittance of a lens shall be between 8% and 40%.
2. Colour limits: The x and y chromaticity coordinates of traffic signals and average daylight (D65), as viewed through the lens, shall fall within the prescribed regions on the CIE Standard Chromaticity diagram.
3. The traffic signal transmittance of a lens shall be a minimum of 8% for the red signal, a minimum of 6% for the yellow signal, and a minimum of 6% for the green signal.
4. The mean transmittance of a lens shall be
 - a) for UVA: no greater than the luminous transmittance; and
 - b) for UVB: no greater than 0.125 of luminous transmittance.

Measurement Uncertainty (if necessary)

***** Page 21 of 23*****

测试样品由客户送样委托检测: 样品信息由客户提供并确认

以下条款仅针对中国市场和社会: ----该报告仅向委托人公布、供委托人使用, 不具有社会证明的作用

RCP-HST Testing decision rule: The declaration of conformity is given without taking into account the measurement uncertainty.

Level of risk associated with the Decision Rule: The results issued by UL VS Shanghai Limited Shenzhen Branch do not take into consideration the measurement uncertainty, but when the value is close to the limit, the test, if repeated by another laboratory, can give a different rating.

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the qualities of apparently identical or similar materials, products or processes. Reports / Certificates of UL do not relieve sellers / suppliers from their contractual responsibilities with regard to the quality / quantity of the goods in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers for compensation for any apparent and/or hidden defects not detected during UL's random inspection or testing or audit. The liability of UL to the Customer in contract, tort (including negligence or breach of statutory duty) or howsoever, and whatever the cause thereof, (a) for any loss of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.

SZ-FAF-001 (2026-01-01)

UL VS Shanghai Limited Shenzhen Branch

3-7F, 9-10F Building B, Sino-German (Europe) Industrial Park, South side of Hangcheng Avenue,
Xixiang Subdistrict, Bao'an District, Shenzhen, P.R.China Post Code 518126

广东省深圳市宝安区航城大道 1 号中德欧产业园 B 栋 3-7, 9-10 楼 邮编: 518126

电话(T): 755-81202888 / 网址(W): W: ul.com



中国认可
国际互认
检测
TESTING
CNAS L1114

TEST REPORT

Applicant: Innovative Eyewear, Inc
Address: 11900 Biscayne Bl, Suite 630 North Miami,
FL 33181, USA

Report No: 1002809137
Date: January 7, 2026

TEST RESULTS

Sun protection for outdoor workers (Polarized lenses) — Clause 16.2.6

Sample No.	10#			
Test Items	Requirements	Left	Right	Result
Degree of polarizing Filters (°)	Deviation from the horizontal direction with filter ≤5° for both left and right filter	-2.55	-0.78	P
	The misalignment between the plane of polarization of both filters ≤6°;		1.77	
The polarization efficiency (%)	For category 1 : >60% For category 2,3,4 : >78%	83.56	83.38	P

Measurement Uncertainty (if necessary)

***** Page 22 of 23*****

测试样品由客户送样委托检测: 样品信息由客户提供并确认

以下条款仅针对中国市场和社会: ----该报告仅向委托人公布、供委托人使用, 不具有社会证明的作用

RCP-HST Testing decision rule: The declaration of conformity is given without taking into account the measurement uncertainty.

Level of risk associated with the Decision Rule: The results issued by UL VS Shanghai Limited Shenzhen Branch do not take into consideration the measurement uncertainty, but when the value is close to the limit, the test, if repeated by another laboratory, can give a different rating.

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the qualities of apparently identical or similar materials, products or processes. Reports / Certificates of UL do not relieve sellers / suppliers from their contractual responsibilities with regard to the quality / quantity of the goods in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers for compensation for any apparent and/or hidden defects not detected during UL's random inspection or testing or audit. The liability of UL to the Customer in contract, tort (including negligence or breach of statutory duty) or howsoever, and whatever the cause thereof, (a) for any loss of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.

SZ-FAF-001 (2026-01-01)

UL VS Shanghai Limited Shenzhen Branch

3-7F, 9-10F Building B, Sino-German (Europe) Industrial Park, South side of Hangcheng Avenue,
Xixiang Subdistrict, Bao'an District, Shenzhen, P.R.China Post Code 518126

优力胜邦质量检测(上海)有限公司深圳分公司
广东省深圳市宝安区航城大道1号中德欧产业园B栋3-7, 9-10楼 邮编: 518126
电话(T): 755-81202888 / 网址(W): W: ul.com



中国认可
国际互认
检测
TESTING
CNAS L1114

TEST REPORT

Applicant: Innovative Eyewear, Inc
Address: 11900 Biscayne Bl, Suite 630 North Miami,
FL 33181, USA

Report No: 1002809137
Date: January 7, 2026

TEST RESULTS

Marking and user information — Clause 13

Observed Result		Comment	Result
Meet	No meet		
✓		--	P

Requirements:

7. Protector that comply with this Standard shall bear the designation "Z94.3".
8. The following items shall bear a permanent mark identifying the manufacture or supplier:
 - 10) lenses, excluding covers;
 - 11) spectacle fronts;
 - 12) spectacle temples;
 - 13) goggle eye-cups;
 - 14) goggle housings;
 - 15) helmet housings;
 - 16) helmet headgear;
 - 17) hand shield; and
 - 18) face shield headgear.
9. Zero-power filter and filter windows shall be permanently marked with shade numbers in accordance with all the transmittance requirements for filter.
10. Special-purpose lenses shall carry a statement that the lenses are not for use where filter lenses are required.
11. For any device certified by a nationally recognized certification organization as meeting this Standard, the mark or other identification of the certification shall be permanently placed on at least one component of an assembled product or system.
12. The following information shall be provided with all non-prescription eye and face protectors:
 - 9) assembly instructions where necessary;
 - 10) fitting instructions;
 - 11) cleaning instructions
 - 12) storing instructions;
 - 13) inspection criteria and determination of end of useful life;
 - 14) maintenance instructions where necessary;
 - 15) hazard for which the protector is appropriate; and
 - 16) limitations of the protector.

***** THE END*****

***** Page 23 of 23*****

测试样品由客户送样委托检测: 样品信息由客户提供并确认

以下条款仅针对中国市场和社会: ----该报告仅向委托人公布、供委托人使用, 不具有社会证明的作用

RCP-HST Testing decision rule: The declaration of conformity is given without taking into account the measurement uncertainty.

Level of risk associated with the Decision Rule: The results issued by UL VS Shanghai Limited Shenzhen Branch do not take into consideration the measurement uncertainty, but when the value is close to the limit, the test, if repeated by another laboratory, can give a different rating.

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the qualities of apparently identical or similar materials, products or processes. Reports / Certificates of UL do not relieve sellers / suppliers from their contractual responsibilities with regard to the quality / quantity of the goods in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers for compensation for any apparent and/or hidden defects not detected during UL's random inspection or testing or audit. The liability of UL to the Customer in contract, tort (including negligence or breach of statutory duty) or howsoever, and whatever the cause thereof, (a) for any loss of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim. For Reports / Certificates, refer to the UL VS Terms and Conditions.

SZ-FAF-001 (2026-01-01)

UL VS Shanghai Limited Shenzhen Branch

3-7F, 9-10F Building B, Sino-German (Europe) Industrial Park, South side of Hangcheng Avenue,
Xixiang Subdistrict, Bao'an District, Shenzhen, P.R.China Post Code 518126

优力胜邦质量检测（上海）有限公司深圳分公司
广东省深圳市宝安区航城大道1号中德欧产业园B栋3-7, 9-10楼 邮编: 518126
电话(T): 755-81202888 / 网址(W): W: ul.com

TERMS & CONDITIONS: VERIFICATION SERVICES

Verification Services and Governing Terms. These Terms and Conditions: Verification Services (the "Terms") apply to an order that includes the Terms or incorporates them by reference (an order may be in the form of a quote, statement of work, proposal, order confirmation, or other form of order agreed by the parties, any of which is referred to here as the "Quote"). These Terms relate to commercial testing, verification, audit, assessment, inspection, or other professional services (the "Services"), as detailed in the Quote agreed to between the client identified in that Quote (the "Client") and the UL Solutions company identified in that Quote ("UL Solutions"). Services are governed by these Terms, the terms of the Quote, and any additional terms incorporated by reference in the Quote. Any capitalized terms in these Terms that are not defined in these Terms share the definition provided in other governing terms.

1. **Scope of Service.** UL Solutions will perform the Services for Client in accordance with Client's instructions as stated on the applicable Quote. The Services are limited to an assessment of Client samples' conformity to requirements, specifications, and/or protocols Client has established, and do not express any opinion regarding the bulk from which the samples were drawn. The Services will not result in UL Solutions issuing product certification of any product, or registration of any management system.
2. **Retailer Programs.** If Client requests UL Solutions to assess compliance with retailer, carrier, or other third-party ("Retailer") program by requesting Services under the Retailer's program, Client consents to UL Solutions disclosure of all associated information, materials, reports, and deliverables to such Retailer and acknowledges that, notwithstanding any terms to the contrary in the Terms, the ownership of the deliverables for the Services is in accordance with the Retailer's program.
3. **Payment Terms.** Client will pay, without set off, UL Solutions fees and related expenses in accordance with its then current pricing or as set out in the Quote including the cost of all taxes, wire or transfer fees, duties, and other fiscal charges which become due on the quoted price. UL Solutions may charge interest at 1% per month (12% per year), or the maximum legal rate if less than 1.0% per month, from the due date until paid fully. Client agrees to pay reasonable collection costs, including attorneys' fees, if necessary, in the event of late or non payment.
4. **Requirements, Specifications, and Protocols.** Client is responsible for establishing or selecting all applicable requirements, specifications, and protocols that UL Solutions will use in performing the Services ("Client Requirements"). UL Solutions may provide Client with assistance in developing Client Requirements to meet Client's needs, however, in all cases Client must review and approve the Client Requirements to be used in performing the Services.
5. **Estimated Schedule and Price.** Any time schedule and pricing terms set forth in the Terms are estimates only and subject to change upon reasonable notice from UL Solutions depending upon the specific project.
6. **Samples.** If UL Solutions requires sample examination at a UL Solutions facility (or an affiliate's or subcontractor's facility), Client will ship representative samples at Client's expense. Once UL Solutions has determined the sample requirements, UL Solutions will inform Client of the number of samples needed and shipping instructions. UL Solutions, in its sole discretion, may not allow samples to be returned to Client for environmental, health, or safety reasons.
 - i. **Sample Information:** Prior to the Services, Client must promptly disclose to UL Solutions the presence of any asbestos, hazardous chemicals, pollutants, contaminants, or other inherently dangerous substances which are contained in the samples ("Hazardous Substances"). Client will retain title to all Hazardous Substances in transit to UL Solutions and to the waste generated in performance of the Services.
 - ii. **Shipping Samples.** UL Solutions will provide Client with information on where to ship the product. Usually, UL Solutions will ask Client to ship product samples to a nearby UL Solutions facility. To avoid unnecessary shipping, storage, and disposition expenses, Clients shall not send samples to UL Solutions until UL Solutions requests them and only in the quantity and condition requested by UL Solutions. Client shall comply with all applicable federal, state and local laws, codes, ordinances, UL Solutions policies, and other rules and legal requirements applicable to the shipping, handling, and disposition of the samples.
 - iii. **Oversized Samples.** Some products or systems cannot be easily or economically shipped to UL Solutions. If a product cannot be shipped to UL Solutions, UL Solutions and Client may mutually agree upon other ways to investigate Client's product at Client's facility or other location.
 - iv. **Testing and Return of Samples.** The Services may not physically destroy Client's samples, however, products which have been tested will not be in a condition to be reused or resold. UL Solutions will not be responsible for lost, damaged, or destroyed samples, or for injuries or damage of any nature caused by any sample. UL Solutions is not responsible for the storage of Client's samples. If Client does not respond in the timeframe UL Solutions instruction require regarding sample disposition, UL Solutions may immediately remove the sample(s) from its premise and charge Client for any related expenses or costs, including without limitation expenses related to hazardous waste disposal, storage fees, packaging, and shipping.
7. **On-Site Investigations.** If UL Solutions performs Services on site at Client's facilities, or at the facilities of other parties as directed by Client, Client will ensure that UL Solutions representatives have safe, secure, and free access to the facilities as necessary to perform the Services. UL Solutions will direct its representatives to exercise due care in complying with any safety regulations which may be generally applicable to the facility's personnel. UL Solutions access will not be conditioned upon the execution of any agreement, waiver, or release. If UL Solutions representatives are prevented from performing or completing any Services for any reason beyond UL Solutions reasonable control, UL Solutions will not be responsible for the nonperformance, and Client may be charged for any actual expenses UL Solutions incurs, cancellation fees, and fees for services performed.
8. **Management System and Manufacturing Processes Audits and/or Assessments.** UL Solutions will evaluate Client's management systems and manufacturing processes and provide audit and/or assessment services in accordance with Client's Requirements. Such audits may have the option or require continuous assessment services. Continuous assessment services are designed only to serve as verification of continued compliance with a management system or manufacturing process and do not indicate a guarantee of compliance.
9. **Deliverables.** When UL Solutions completes the Services, UL Solutions will provide Client with a report outlining the method and results of the Services. This report will be provided in UL Solutions standard report format, unless otherwise agreed in writing. UL Solutions does not guarantee that its opinions or findings will be recognized or accepted by third parties. If Client makes any subsequent analysis, summaries, reports, or observations based on the UL Solutions report, Client acknowledges that such derivative work is created independently of UL Solutions control and does not reflect the content of the report. Client shall not use a UL Solutions name or Mark on any derivative work. Any report provided by UL Solutions as part of the Services is intended for the exclusive use of the Client and as may be required, government or regulatory bodies. The UL Solutions issued report shall not be published, used for advertising purposes, copied or replicated for distribution or otherwise publicly disclosed without the prior written consent of UL Solutions.
10. **Ownership of Work Product.** Client will own the test data contained in the reports produced by UL Solutions ("Client's Information"). Except for Client Information, UL Solutions will retain all right, title, and interest to reports, concepts, data, designs, developments, documentation, drawings, equipment, hardware, improvements, information, inventions, processes, software, techniques, technology, test fixtures, tools, and any other intellectual property produced, created or developed by UL Solutions, its affiliates, or any of its personnel in the general conduct of its business including those developed during the provision of the Services. Notwithstanding anything to the contrary, Client agrees that the UL Solutions and its affiliates shall have a non-exclusive, perpetual, irrevocable, fully-paid-up, royalty free license to use aggregated, anonymized data derived from Client Information, including any Confidential Information (the "Aggregated Data") for purposes of improving UL Solutions or its affiliates business and services.
11. **Use of Names and Marks.** Except as otherwise authorized by UL Solutions in writing, Client will not use UL Solutions or any of its subsidiaries, affiliates, or parent companies' trademarks, service marks, certification marks, trade names, logos, domain names, corporate identifiers or other intellectual property rights that contain or include "UL", "Underwriters Laboratories", "UL Solutions" and variations and derivatives thereof (collectively, the "Marks") on any goods or their containers or packaging, or in connection with any advertising, promotions, or otherwise. Client agrees that in the event of any violation by Client of the Terms, a temporary injunction may be issued restraining Client from any further use of the Marks. Such relief shall be in addition to any other rights and remedies provided to UL Solutions by law. Client is not permitted to, and will not, photograph, videotape or record any portion of the Services without UL Solutions express written permission.
12. **Cancellation Fees.** If Client cancels or changes the Services:
 - a) For an inspection less than one (1) working day before the scheduled inspection date, UL Solutions will charge Client the Quote price plus any travel costs incurred before the cancellation.
 - b) For testing after UL Solutions receives the sample(s) at the testing facility, UL Solutions will charge Client cancellation fees according to the amount of actual work performed with a minimum cancellation fee of \$100 USD.
 - c) For a scheduled audit date, Client will be responsible for all incurred non-refundable travel costs associate with that audit. Any change or cancellation of an audit that occurs within 7 days' of the scheduled audit will be charged a minimum cancellation fee of \$600 USD fee in addition to any incurred travel costs.
13. **Warranty.** UL Solutions will provide Services in accordance with professional standards of conduct generally applicable to testing, inspection, and certification organizations and UL Solutions will not have any responsibility other than to exercise reasonable skill, care and diligence in the performance of Services. NO REPRESENTATION, WARRANTY, OR GUARANTEE, EXPRESS OR IMPLIED, IS INCLUDED IN THE TERMS, OR IN ANY REPORT, OR OTHER DOCUMENT PROVIDED UNDER THE TERMS INCLUDING, BUT NOT LIMITED TO:
 - a) ANY "IMPLIED WARRANTY OF MERCHANTABILITY" OR "FITNESS FOR A PARTICULAR PURPOSE".
 - b) NON-INFRINGEMENT.
 - c) THAT THE UL SOLUTIONS REPORT, OPINIONS, OR FINDINGS WILL BE RECOGNIZED OR ACCEPTED BY THIRD PARTIES.
 - d) THAT THE WEB SERVICES (AS DEFINED BELOW) WILL BE UNINTERRUPTED, TIMELY, SECURE, OR ERROR-FREE.
14. **Client Information.** Client represents and warrants that all information and data provided to UL Solutions by Client, or on its behalf, is complete and accurate and may be relied upon to provide Services and does not infringe on the intellectual property rights of any third party. If any information or data provided to UL Solutions by Client or on Client's behalf is incomplete or inaccurate, UL Solutions will not be liable in any manner for any deficiencies in the Services.
15. **Web Services.** UL Solutions may provide Client with certain website tools and related services, including the ability to order services online through a website (collectively, the "Web Services"). The Web Services are provided to Client as a convenience and are provided on an "as is, as available" basis. By using the Web Services, Client acknowledges and agrees that no data or content transmitted over UL Solutions networks, the Internet, or wirelessly, or through or in connection with the Web Services, is guaranteed to be secure or free from unauthorized intrusion, and that data stored by UL Solutions, its affiliates, or its service providers may be deleted, modified, or damaged. Client acknowledges that if Client would like to protect its transmission of data or files to UL Solutions, it is Client's responsibility to use a secure encrypted connection to communicate with and use the Web Services. Client's use of the Web Services is at its sole risk and is subject to any terms of use applicable to such Web Services. Web Services are included in the definition of Services above.
16. **Confidentiality.** "Confidential Information" means any information, technical data, know-how, tangible products or materials provided by one party to the other party under the Terms. Confidential Information shall not include any information that:
 - a) Was previously known to the recipient or independently developed by the recipient without reference to the Confidential Information.
 - b) Is or becomes publicly available through no fault of the recipient.
 - c) Is disclosed by the recipient with the discloser's prior written approval; or
 - d) Required to be disclosed by law or regulatory authority.The recipient shall use Confidential Information only for the parties' mutually agreed upon purpose as described in the Terms. The recipient shall not disclose Confidential Information to any third party except its officers, directors, trustees, employees, consultants or agents who need access to the Confidential Information to perform the parties' mutually agreed upon purpose.
17. **LIMITATION OF LIABILITY.** UL SOLUTIONS TOTAL LIABILITY FOR ANY CLAIMS FOR LOSS, DAMAGE, OR EXPENSE OF ANY NATURE AND HOWSOEVER ARISING INCLUDING WITHOUT LIMITATION CLAIMS FOR ANY BREACH OF CONTRACT, ANY FAILURE TO EXERCISE APPROPRIATE SKILL AND CARE, ANY FORM OF NEGLIGENCE OR OTHER TORT, AND/OR ANY INDEMNIFICATION OBLIGATION OR OTHER OBLIGATION IN THE TERMS OR QUOTE WILL UNDER NO CIRCUMSTANCE EXCEED THE FEES RECEIVED FOR THE SPECIFIC SERVICES WHICH GIVE RISE TO SUCH CLAIMS. UNDER NO CIRCUMSTANCE WILL UL SOLUTIONS HAVE ANY LIABILITY FOR ANY CLAIMS FOR INDIRECT, CONSEQUENTIAL, INCIDENTAL, SPECIAL, EXEMPLARY, OR PUNITIVE DAMAGES OF ANY NATURE WHATSOEVER, INCLUDING BUT NOT LIMITED TO: LOSS OF PROFITS, GOODWILL, USE, DATA, FUTURE BUSINESS, OR PRODUCTION; CANCELLATION OF CONTRACTS ENTERED INTO BY CLIENT; OR OTHER INTANGIBLE LOSSES (EVEN IF UL SOLUTIONS HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES). UNDER NO CIRCUMSTANCE WILL UL SOLUTIONS BE LIABLE TO CLIENT FOR ANY CLAIMS FOR LOSS, DAMAGE, OR EXPENSE UNLESS SUCH CLAIM IS BROUGHT WITHIN TWELVE MONTHS AFTER THE DATE OF THE PERFORMANCE BY UL SOLUTIONS OF THE SERVICES WHICH GIVE RISE TO THE CLAIM OR, IN THE EVENT OF ANY ALLEGED NON-PERFORMANCE, WITHIN TWELVE MONTHS OF THE DATE WHEN SUCH SERVICES SHOULD HAVE BEEN COMPLETED.
18. **Indemnification.** Client will defend, hold harmless, and indemnify UL Solutions and its officers, directors, trustees, employees, agents, or subcontractors against all claims made by any third party for loss, damage, or expense arising out of the Terms or the Quote, including without limitation, the performance or non-performance of any Services or the Web Services.
19. **Waiver.** Any failure by a party to insist upon the performance of any section of the Terms will not constitute a waiver of any rights under the Terms or future performance of that section.
20. **No Third-Party Beneficiaries.** The parties intend that no provisions of the Terms will in any way bind or benefit any third party or the public at large and that no third party will have any rights or cause of action under the Terms.
21. **No Assignment.** Neither party may assign any of its rights or obligations under the Terms to any other person without the other party's written authorization. However, UL Solutions may, upon written notice, assign its rights and obligations under the Terms to any of its affiliates or subsidiaries.
22. **Subcontracting and Personnel.** UL Solutions will be responsible for assigning and re-assigning its personnel, as appropriate, to perform the Services. For the duration of the engagement and for a period of twelve (12) months after the Services are completed, Client will not actively solicit the employment of UL Solutions personnel involved directly with providing the Services under the Quote. Client agrees that UL Solutions may subcontract the Services to third parties. Client authorizes UL Solutions to disclose all information to the subcontractor, including Confidential Information, necessary for such performance of the Services by the subcontractor. UL Solutions will provide as a term of any such subcontract that the subcontractor shall meet UL Solutions current qualification requirements and will comply with its requirements for confidentiality, conflicts of interest, and ethical standards.
23. **Termination and Notice.** The Quote will continue in effect until the Services are completed or until the Quote is terminated by either party upon thirty days written notice or, in the event of Client's breach of the Terms or the Quote, immediately upon receipt of written notice to Client. Client will pay those fees and expenses incurred by UL Solutions prior to termination. Notices must be in writing and may be delivered by mail or email. Notices to UL Solutions must include a copy by email to legal.notices@ul.com.
24. **Choice of Law and Dispute Resolution.** All disputes, claims, controversies, questions, or differences related to or arising out of the Services, the Quote, or the Terms will be finally settled by confidential arbitration (except for the limited court remedies provided below). The arbitration will be conducted in English before a single arbitrator agreed to by both parties (or if the parties cannot so agree, an arbitrator appointed by the applicable administrator), in accordance with the then-current rules and procedures of the applicable administrator. The administrator, location, and governing law applicable to the construction and interpretation of the Terms and the Quote will be as follows:
 - a) If UL Solutions principal place of business is in the United States of America, the arbitration will be administered in Chicago, Illinois by the American Arbitration Association, and the arbitrator will apply the laws of the State of Illinois.
 - b) If UL Solutions principal place of business is in Canada, the arbitration will be administered in Toronto by the International Centre for Dispute Resolution Canada, and the arbitrator will apply the laws of Ontario.
 - c) If UL Solutions principal place of business is in Latin America, the arbitration will be administered in Miami, Florida, USA by the International Centre for Dispute Resolution, and the arbitrator will apply the laws of the State of Florida.
 - d) If UL Solutions principal place of business is in Europe, Africa, or the Middle East, the arbitration will be administered in Zurich, Switzerland by the International Chamber of Commerce, and the arbitrator will apply the laws of Switzerland.
 - e) If UL Solutions and Client's principal places of business are in China, the arbitration will be administered in Beijing by the China International Economic and Trade Arbitration Commission, and the arbitrator will apply the laws of China. If UL Solutions principal place of business is in China but Client's principal place of business is outside China, the next clause will apply.
 - f) If UL Solutions principal place of business is in Asia (except as set forth in the preceding clause), Australia, or New Zealand, the arbitration will be administered in Singapore by the Singapore International Arbitration Centre, and the arbitrator will apply the laws of the Republic of Singapore.The arbitrator does not have authority to modify the Terms and must apply the above choice of law without regard to conflicts of law principles. The arbitrator's decision will be the binding and final remedy for any dispute between the parties arising out of the Terms. However, a party may seek from a court of competent jurisdiction: judgement on an arbitration award, provisional remedies in aid of arbitration, or injunctive relief to stop a breach or threatened breach of the Terms.
25. **Severability.** If any section of the Terms is held invalid, void, or unenforceable for any reason that section will be severed, and all other sections of the Terms will remain valid to the extent permissible under law.
26. **Modifications.** The Terms and Quote are the entire and complete agreement between the parties and supersede any other communications, representations, agreements with respect to its subject matter. Under no circumstances will any preprinted, additional, or different terms and conditions on Client's requests for quotation, purchase orders, invoices, sales or marketing materials, emails, any acceptance communications, or other business documents apply to the Services or the Terms or bind UL Solutions in any manner. Modifications that have not been made by UL Solutions or that have not been accepted by UL Solutions in a written or emailed confirmation from UL Solutions are not accepted by UL Solutions, and commencement of performance will not signify acceptance by UL Solutions of any such modifications. Any such modifications are excluded from the agreement, and such modifications will not be a binding agreement on UL Solutions.
27. **Order of Precedence.** Except for conflicts related to payment terms, estimated schedule, or price for the Services, the Terms will take precedence over any conflicting terms in any Quote.
28. **Electronic Signature.** The Terms may be executed and delivered by facsimile, PDF, or by means of other electronic signature. UL Solutions' electronic, digital, or hard copies of the Terms, Client's acceptance, and Quotes as signed, or otherwise accepted, by Client will be the true, complete, valid, authentic, and enforceable copies of these documents. Client agrees that it will not contest the admissibility or enforceability of UL Solutions copies in a court or any proceeding arising out of such documents.
29. **Force Majeure.** Neither party will be liable for any failure or delay in the performance of its obligations due to fire, flood, earthquake, governmental actions, epidemic disease, elements of nature, or acts of God, acts of war, terrorism, riots, civil disorder, rebellions, or other similar cause beyond the reasonable control of the party affected, provided such default or delay:
 - a) Could not have been prevented by reasonable precautions.
 - b) Cannot reasonably be circumvented.
 - c) The party hindered or delayed immediately notifies the other party describing the circumstance causing delay.